

**IN THE CLAIMS**

1. (Currently amended) A computer system comprising a plurality of computers, first and second servers connected to said computers, and a storage system connected to said first and second servers, with said storage system comprising a plurality of storage devices and a storage controller which controls said plurality of storage devices, wherein:

said first server comprises:

a first memory which stores a first program; and

a first CPU which executes said first program;

said second server comprises:

a second memory which stores a second program; and

a second CPU which executes said second program;

said second program comprises:

a part for making a request to said first server for information necessary for said second server to back up a file as a backup object ~~instead of~~, said file being logically set with a path to said first server when said request is made;

said first program comprises:

a part which responds to said request by sending said second server an identifier of a second storage device that stores duplicate data of said file; and

said second program further comprises:

a part which obtains backup data from said duplicate data from said second storage device, based on said identifier.

2. (Currently amended) A computer system according to Claim 1, wherein:

said second server is further connected to a backup server; and

said second program further comprises a part which sends the obtained backup data to said backup server.

3. (Currently amended) A computer system according to Claim 1, wherein:

said second program further comprises a part which sets the second server with a path to said second storage device, based on said identifier.

4. (Currently amended) A computer system according to Claim 1, wherein:

said file is stored in a first storage device; and

said first program further comprises a part which inhibits write into said file in said first storage device while said file is being duplicated to said second storage device, and which ~~writes data that have not been~~ writes

inhibited data, waiting to be written into said file, yet into  
a first storage device to store said file, into said first  
storage device while said file is being duplicated.

5. (Currently amended) A computer system according to  
Claim 1, wherein:

said first program further comprises:

a part which sends said storage system an ID of a port  
connected to said second storage device; and

a part which receives the identifier of said second  
storage device, with said identifier being sent by said  
storage system in response to receipt of said ID.

6. (Original) A computer system according to Claim 1,  
wherein:

said request includes a directory name of the backup  
object.

7. (Currently amended) A first server connected to a  
plurality of computers, a second server and a storage system  
that comprises a plurality of storage devices and a storage  
controller which controls said plurality of storage devices,  
wherein:

said first server comprises:

a memory which stores a program; and

a CPU which executes said program;

and

said program comprises:

a part which inhibits write into a file as a backup object, in response to a request by said second server for information necessary for said second server to back up said file ~~instead of,~~ said file being set with a path to said first server, ~~with said request being made by said second server~~ when said request is made;

a part which generates duplicate data of said file;

and

a part which writes inhibited data ~~that have not been,~~ waiting to be written into said file, ~~[[yet]] into a first storage device to store said file, into said first storage device~~ in which said file is stored, while said file is being duplicated;

~~a part which generates duplicate data of said file,~~

and

a part which sends said second server an identifier of a second storage device that stores said duplicate data.

8. (Currently amended) A first server according to Claim 7, wherein:

said program further comprises:

a part which sends said storage system an ID of a port connected to said second storage device; and

a part which receives the identifier of said second storage device, with said identifier being sent by said storage system in response to receipt of said ID.

9. (Original) A first server according to Claim 7, wherein:

said request includes a directory name of the backup object.

10. (Currently amended) A second server connected to a plurality of computers, a first server and a storage system that comprises a plurality of storage devices and a storage controller for controlling said plurality of storage devices, wherein:

said second server comprises:

a memory which stores a second program; and

a CPU which executes said program;

and

said second program comprises:

a part which makes a request to said first server for information necessary for said second server to back up a file as a backup object ~~instead of~~, said file being set with a path to said first server when said request is made;

a part which receives an identifier of a second storage device that stores duplicate data of said file, from said first server; and

a part which obtains backup data from said duplicate data from said second storage device, based on said identifier.

11. (Currently amended) A second server according to Claim 10, wherein:

said second program further comprises a part which sets the second server with a path to said second storage device, based on said identifier.

12. (Currently amended) A second server according to Claim 10, wherein:

said second server is further connected to a backup server; and

said second program comprises a part which sends the obtained backup data to said backup server.

13. (Original) A second server according to Claim 10, wherein:

said request includes a directory name of the backup object.

14. (Currently amended) A backup method for performing backup in a computer system comprising a plurality of computers, first and second servers connected to said computers, and a storage system connected to said first and second servers, with said storage system comprising a plurality of storage devices and a storage controller which controls said plurality of storage devices, wherein:

said second server makes a request to said first server for information necessary for said second server to back up a file as a backup object ~~instead of~~, said file being set with a path to said first server when said request is made;

said first server sends an identifier of a second storage device that stores duplicate data of said file, in response to said request; and

said second server obtains backup data from said duplicate data from said second storage device, based on said identifier.

15. (Original) A backup method according to Claim 14, wherein:

said second server sends the obtained backup data to a backup server connected to said second server.

16. (Currently amended) A backup method according to Claim 14, wherein:

said second server sets the second server with a path to said second storage device, based on said identifier.

17. (Currently amended) A backup method according to Claim 14, wherein:

said first server inhibits write into said file, and writes inhibited data, that have not been waiting to be written ~~[[yet]]~~ into said file, into a first storage device ~~to store said file, into said first storage device~~ in which said file is stored, while said file is being duplicated.



18. (Currently amended) A backup method according to Claim 14, wherein:

said first server sends said storage system an ID of a port connected to said second storage device, and receives the identifier of said second storage device, with said identifier being sent by said storage system in response to receipt of said ID.

19. (Original) A backup method according to Claim 14, wherein:

said request includes a directory name of the backup object.